

Omnipod DASH® Insulin Management System



I AM A PODDER™

WHAT HAPPENS NEXT?


FIRST FEW DAYS AS A PODDER™

Congratulations!

Getting used to wearing a device can take some time and adjustment. Don't be nervous.

- If you accidentally bump or knock your Pod off, simply follow your Pod change instructions and start a new one.
- If your Pod site is uncomfortable, remember there are several other places you can wear your next Pod.
- Choose your clothes with your Pod in mind until you are comfortable. Be conscious of where your Pod is located so you do not accidentally displace the Pod. Do not place your Pod directly under your waist band or belt.
- Your Pod is waterproof* so you are free to shower or bathe with it on. The Pod's adhesive can keep the Pod securely in place for up to 3 days** however everyone's skin is different. If you are having trouble with your Pod sticking, there are some ways to help your Pod stick better. A common tip is limiting exposure to moisturisers or oil-based soaps, as these can sometimes prevent the adhesive from sticking. Clean the skin with soap and water or an alcohol swab.

Where to wear your Pod?



YOUR BLOOD GLUCOSE (BG) VALUES MAY VARY. DON'T PANIC.

Initial settings are usually conservative as you start Pod therapy. If you experience a single BG above or below target during your first days, treat your BG accordingly. A single day or BG value is not enough to make immediate changes. Adjustments to your settings will be based on patterns. If you see extreme high or low BG values during the first few days you should contact your healthcare provider.

During your first few days, try to focus on:

Checking your BG often.

Set a BG reminder on your Omnipod DASH® Personal Diabetes Manager (PDM) 2 hours after you bolus. BG readings before and after meals will help you and your healthcare provider identify trends in your BG.

Counting your carbs accurately.

If possible avoid eating out at restaurants for the first few days. Eating at home allows you to read food labels, measure portions, and achieve a more accurate carbohydrate count.

Try to stay as close to your normal activity as possible.

Since activity can impact your BG levels, discuss with your healthcare professional if you should skip your planned exercise during your first day(s) on the Pod. If you do end up exercising, be sure to check your BG as agreed with your Health Care Professional. Remember to carry items like glucose tabs, or juice to treat a low BG should one occur.

Orientate the Pod so it is:

- Horizontal or diagonal on your abdomen, hip, lower back or buttocks.
- Up and down or at a slight angle on your upper arm or thigh.

DOING YOUR FIRST POD CHANGE ON YOUR OWN

- Schedule a generous amount of time to perform the first 2 Pod changes so you don't have to rush. Before you know it, you'll be a pro and a Pod change should be quick and easy.
- Before filling a Pod, ensure that no other Pods are being activated within 1.5m (5ft) of your Omnipod DASH® PDM.
- Remember site rotation can help with insulin absorption. Try a different area that you and your healthcare provider have identified as ideal.
- If you are using the Omnipod DASH® PDM, use the Pod site map to help you track your current and recent Pod site locations. This feature can be turned on in settings.

LEARNING ABOUT YOUR OMNIPOD DASH® PDM

- Like your mobile phone or BG meter, you will want your Omnipod DASH® PDM available at all times. However, your Pod will deliver your basal rates as scheduled even when it is not in range of the Omnipod DASH®PDM.
- You will need to have your Omnipod DASH® PDM within 1.5 m (5ft.) of your Pod when you want to bolus, or make any changes.
- Dedicate a spot for your Omnipod DASH® PDM in your home so you will always know where to find it and you won't leave home without it!
- Your Omnipod DASH® PDM does not like to be too hot or too cold so don't leave it in the elements (i.e. the car).
- Get into a habit of checking the battery level and recharge the PDM so its ready for use .

Other things to do during the first few days

- Remember to carry backup insulin supplies and Pods when you are away from home.
- Keep an updated copy of your Omnipod DASH® PDM settings for future reference.
- If you have not yet set up your Glooko® account for sharing PDM data with your clinician, this would be a great time
- Take notes of any unusual events that may occur (illness, strenuous activity, stress etc.).
- Keep in touch with your healthcare team as instructed.
- Our Customer Care is available 24/7. Make sure to save the phone number into your mobile phone for easy access. [1800 954 074]



Refer to the Omnipod DASH® System Podder™ Resource Guide for complete safety information including indications, contraindications, warnings, cautions and instructions.

MEDICAL DISCLAIMER

Health care and treatment are complex subjects requiring the services of qualified healthcare professionals. This educational material is informational only and not intended as medical or health care advice or recommendations to be used for diagnosis, treatment or for any other individual needs. This educational material is not a substitute for medical or health care advice, recommendations and/or services from a qualified healthcare professional . This educational material may not be relied upon in any way in connection with your personal health care, related decisions and treatment. All such decisions and treatment should be discussed with a qualified healthcare professional who is familiar with your individual needs.

*The Pod has a waterproof rating of IP28 for up to 7.6 metres for 60 minutes. Omnipod DASH™ PDM is not waterproof.

** Up to 72 hours of continuous insulin delivery.

©2021 Insulet Corporation. Omnipod, the Omnipod logo, DASH, the DASH logo and Podder are trademarks or registered trademarks of Insulet Corporation in the United States of America and other various jurisdictions. Glooko is a trademark of Glooko, Inc. and used with permission. All rights reserved. Insulet Australia PTY LTD Level 16, Tower 2 Darling Park, 201 Sussex Street. Sydney, NSW 2000
INS-ODS-06-2021-00163 v1.0